



ACCESSIBLE PARKING SPACE SPECIFICATIONS

CITY OF COLUMBUS, OHIO DEPARTMENT OF PUBLIC SERVICE

SINGLE SPACE




TWO SPACES



SIGNS SHALL BE MOUNTED AT A MINIMUM OF 7' FROM GROUND TO BOTTOM OF SIGN

MULTIPLE SPACES



THE ABOVE TYPICALS ARE POLICY FOR THE DEPARTMENT OF PUBLIC SERVICE AND MEET OR EXCEED A.D.A. REQUIREMENTS

A.D.A. REQUIREMENTS

- ACCESSIBLE SPACES SHALL BE LOCATED AS CLOSE AS POSSIBLE TO THE ENTRANCE OF THE FACILITY BEING SERVED.
- ONE SIGN SHALL BE PLACED AT THE HEAD OF EACH ACCESSIBLE PARKING SPACE.
- ONE IN EVERY SIX ACCESSIBLE SPACES, BUT NOT LESS THAN ONE, SHALL HAVE AN ACCESS AISLE 8' WIDE AND SHALL BE SIGNED "VAN ACCESSIBLE".
- AT OUTPATIENT MEDICAL UNITS AND TREATMENT FACILITIES, 10% OF THE TOTAL NUMBER OF SPACES PROVIDED SERVING THE OUTPATIENT UNIT SHALL BE ACCESSIBLE.
- AT UNITS OR FACILITIES THAT SPECIALIZE IN TREATMENTS OR SERVICES FOR PERSONS WITH MOBILITY IMPAIRMENTS, 20% OF THE TOTAL NUMBER OF SPACES SHALL BE ACCESSIBLE.

TOTAL NO. OF SPACES IN LOT	MINIMUM NO. OF ACCESSIBLE SPACES
1 TO 25	1
26 TO 50	2
51 TO 75	3
76 TO 100	4
101 TO 150	5
151 TO 200	6
201 TO 300	7
301 TO 400	8
401 TO 500	9
501 TO 1000	2% OF TOTAL
1001 AND OVER	20 PLUS 1 FOR EACH 100 OVER 1000